

Amendments to The Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

1. (Currently amended) A computer-implemented method for selecting an obscured object in a three-dimensional computer-generated model, the method comprising:
displaying the three-dimensional computer-generated model on a computer screen, wherein:
the three-dimensional computer-generated model consists of a plurality of objects used to construct a part;
a first set of the plurality of objects when displayed obscures a second set of the plurality of objects;
the first set of the plurality of objects comprises ~~at least one~~ a face, the face having a visibility characteristic that may be independently changed; and
the second set of the plurality of objects comprises ~~at least one~~ a face, the face having a visibility characteristic that may be independently changed;
receiving first input data interpreted as an instruction to change a visibility characteristic of a first ~~one~~ object of the first set of the plurality of objects, the first ~~one~~ object of the first set identified upon receiving the first input data and by determining that the first ~~one~~ object of the first set shares a same location on the computer screen as a cursor;
automatically modifying the visibility characteristic of the first ~~one~~ object of the first set to cause a first ~~one~~ object of the second set of the plurality of objects to be discernable;
receiving second input data interpreted as an instruction to select the first ~~one~~ object of the second set of the plurality of objects, the first ~~one~~ object of the second set identified upon receiving the second input data and by determining that the first ~~one~~ object of the second set shares the same location on the computer screen as the cursor; and
designating the first ~~one~~ object of the second set of the plurality of objects as a first selected object.

2. (Currently amended) The computer-implemented method of claim 1, wherein:
modifying the visibility characteristic automatically causes the first ~~one~~ object of the first set
of the plurality of objects to become transparent and discernable.
3. (Currently amended) The computer-implemented method of claim 1, wherein:
modifying the visibility characteristic automatically causes the first ~~one~~ object of the first set
of the plurality of objects to become invisible.
4. (Currently amended) The computer-implemented method of claim 1, wherein:
modifying the visibility characteristic automatically causes the removal of the first ~~one~~ object
of the first set of the plurality of objects from a display structure used for constructing the
computer-generated model.
5. (Currently amended) The computer-implemented method of claim 1, wherein:
designating the first ~~one~~ object of the second set of the plurality of objects comprises
highlighting the first ~~one~~ object of the second set of the plurality of objects.
6. (Currently amended) The computer-implemented method of claim 5, wherein:
highlighting the first ~~one~~ object of the second set of objects comprises one of displaying a
border of the first ~~one~~ object of the second set of the plurality of objects and changing a
color of the first ~~one~~ object of the second set of the plurality of objects.
7. (Original) The computer-implemented method of claim 1, wherein:
a pointing device generates the first input data; and
the pointing device generates the second input data.

8. (Previously presented) The computer-implemented method of claim 7, wherein:
the pointing device is a mouse device.

9. (Currently amended) The computer-implemented method of claim 1, wherein:
the three-dimensional computer-generated model is a solid model; and
the first ~~one~~ object of the first set of the plurality of objects is a face.

10. (Currently amended) The computer-implemented method of claim 9, wherein:
the first ~~one~~ object of the second set of the plurality of objects is one of a face, an edge, a
vertex, and a surface.

11. (Currently amended) The computer-implemented method of claim 1, wherein:
the three-dimensional computer-generated model is a solid model;
the first ~~one~~ object of the first set of the plurality of objects is one of a vertex or an edge;
and further comprising:
automatically modifying a visibility characteristic of a first face adjacent to the first ~~one~~
object of the first set of the plurality of objects; and
automatically causing at least one of the plurality of objects positioned behind the first face
to be visible.

12. (Currently amended) The computer-implemented method of claim 1, wherein:
subsequent to designating the first ~~one~~ object of the second set of the plurality of objects as a
first selected object, automatically reverting the first ~~one~~ object of the first set of the
plurality of objects to an initial visibility state.

13. (Currently amended) The computer-implemented method of claim 1, further comprising:

receiving third input data interpreted as an instruction to select a second ~~one~~ object of the second set of the plurality of objects, the second ~~one~~ object of the second set identified upon receiving the third input data and by determining that the second ~~one~~ object of the second set shares the same location on the computer screen as the cursor; and highlighting the second ~~one~~ object of the second set of the plurality of objects for distinguishing the second ~~one~~ object of the second set as a second selected object.

14. (Currently amended) The computer-implemented method of claim 1, further comprising: receiving third input data interpreted as an instruction to change a visibility characteristic of a second ~~one~~ object of the first set of the plurality of objects, the second ~~one~~ object of the first set identified upon receiving the third input data and by determining that the second ~~one~~ object of the first set shares the same location on the computer screen as the cursor; automatically modifying the visibility characteristic of the second ~~one~~ object of the first set of the plurality of objects to reveal a second ~~one~~ object of the second set of the plurality of objects positioned behind the second ~~one~~ object of the first set; receiving fourth input data interpreted as an instruction to select a ~~the~~ second ~~one~~ object of the second set of the plurality of objects, the second ~~one~~ object of the second set identified upon receiving the fourth input data and by determining that the second ~~one~~ object of the second set shares the same location on the computer screen as the cursor; designating the second ~~one~~ object of the second set of the plurality of objects as a second selected object; and highlighting the second ~~one~~ object of the second set of the plurality of objects to visually indicate the designation as a second selected object.

15. (Currently amended) The computer-implemented method of claim 14, wherein:

automatically modifying the visibility characteristic of the second ~~one~~ object of the first set of the plurality of objects causes the second ~~one~~ object of the first set to become transparent and discernable.

16. (Currently amended) The computer-implemented method of claim 14, wherein:
automatically modifying the visibility characteristic of the second ~~one~~ object of the first set of the plurality of objects causes the second ~~one~~ object of the first set to become invisible.

17. (Currently amended) The computer-implemented method of claim 14, wherein:
automatically modifying the visibility characteristic of the second ~~one~~ object of the first set of the plurality of objects causes the removal of the second ~~one~~ object of the first set from a display structure used for constructing the computer-generated model.

18. (Currently amended) A computer executable program residing on a computer readable medium, the program comprising instructions causing a computer to:
enable selection of at least one of a plurality of obscured objects;
receive first input data generated by a first button while a cursor positioned in accordance with data from a pointing device is located over a first object;
determine that the first object is an edge used in the construction of a solid model;
automatically modify a visibility characteristic of at least one of a plurality of faces sharing the edge to reveal a first ~~one~~ object of the plurality of obscured objects positioned in a modeling space behind at least one of the plurality of faces;
receive second input data generated by a second button while the cursor positioned in accordance with data from the pointing device is located over the first ~~one~~ object of the plurality of obscured objects;

designate the first ~~one~~ object of the plurality of obscured objects as a first selected object wherein designating comprises highlighting the first ~~one~~ object of the plurality of obscured objects; and
automatically modify the visibility characteristic of at least one of the plurality of faces sharing the edge to a previous visibility state, wherein the visibility characteristic of a face ~~at least one~~ of the plurality of faces may be modified independently from the visibility characteristic of other faces.

19. (Currently amended) The computer executable program of claim 18, wherein:
the first ~~one~~ object of the plurality of obscured objects is a face; and
highlighting the first ~~one~~ object of the plurality of obscured objects comprises one of
changing a line texture of a plurality of edges of the face and changing a color of the face.

20. (Previously presented) A digital computer comprising:
a memory, data stored in said memory, and control information stored in said memory; and
a data processor for processing said data in accordance with said control information;
wherein,
said control information is arranged to:

process a data structure defining a three-dimensional model comprised of a plurality of entities used to generate a representation of a real-world three-dimensional object, wherein each one of the plurality of entities is one of a vertex, an edge, a face, and a surface;
receive first input data generated by a button used in conjunction with a pointing device controlling a location of a cursor, wherein the first input data is interpreted as a command to make one of the plurality of entities invisible, wherein a visibility characteristic of a face of the plurality of entities may be independently controlled;

automatically suppress display of a first one of the plurality of entities positioned beneath the cursor when the first input data was received while continuing to display other ones of the plurality of entities;
receive second input data generated by the button, wherein second input data is interpreted as a command to select one of the other ones of the plurality of entities;
and
designate a second one of the plurality of entities as a selected entity, the second one designated upon receiving the second input data and determining that the second one shares a common location with the cursor.

21. (Original) The digital computer of claim 20, wherein:
the second one of the plurality of entities is a face; and
said control information is further arranged to highlight the second one of the plurality of entities by one of changing a line texture of a plurality of edges of the face and changing a color of the face.

22. (Previously presented) The digital computer of claim 20, wherein:
the first one of the plurality of entities is a first edge; and further comprising control information arranged to automatically suppress display of the face that is adjacent to the first edge.